



STATE OF DELAWARE

PUBLIC SERVICE COMMISSION
861 SILVER LAKE BLVD.
CANNON BUILDING, SUITE 100
DOVER, DELAWARE 19904

TELEPHONE:
FAX:

(302) 736-7500
(302) 739-4849

February 27, 2017

Robert Kleebauer
It's Electric & Water
18603 Old Canal Lane
Millville, DE 19967

Re: In The Matter of It's Electric & Water Inc. For A Certificate to Provide Electric Supply Services within the State Of Delaware (Submitted February 7, 2017) - PSC Docket No. 17-0068

Dear Mr. Kleebauer,

The Delaware Public Service Commission ("Commission") is in receipt of the (the "Application") by It's Electric & Water ("Company") for certification to broker electric supply services in Delaware. The Application has not met the Minimum Filing Requirements and is incomplete as filed and additional information is necessary, as indicated below:

Section 2.1.1.5 Financial, Operation, Managerial and Technical Ability

- Please submit a complete professional resume for Robert Kleebauer that includes the positions held at each Company.

Section 2.1.6 Verification of Application

- Please provide a signed, sworn statement of verification for all subsequent filings in this docket.

Staff respectfully requests a response to this notice of deficiency on or before **March 27, 2017**. Please note that 26 *Del. Admin. C. § 3001* (the "Supplier Rules") section 2.4 provides that incomplete applications will be closed four (4) months after the filing date. If the application is not completed within the four (4) month time frame the applicant forfeits their application filing fee and must resubmit the application with an additional filing fee. The responses and verifications can be uploaded as a subsequent filing in DelaFile under Docket No 17-0069.

Should you have any questions or if I can be of any assistance you may contact me at (302) 736-7539 or send questions by email to Clishona.Marshall@state.de.us.

Sincerely,

Shona Marshall

Shona Marshall
Public Utility Analyst II

CC: Ms. Donna Nickerson, Commission Secretary
Ms. Toni Loper, Public Utility Analyst II